


REVISIONS				
SYM	DESCRIPTION	PREPARED BY	DATE	APPROVED



NOTE:
THE CONTRACTOR SHALL ASSUME THAT ALL ROOMS ON THE FIRST FLOOR OF BUILDING 201 CONTAIN FLUORESCENT LIGHT FIXTURES WITH MERCURY CONTAINING LAMPS.


BUILDING 201 ASBESTOS REMOVAL LEGEND:

- AC ASBESTOS CONTAINING
ACM ASBESTOS CONTAINING MATERIAL
- 1 SPRAY APPLIED AC COATING ON CORRUGATED METAL EXTERIOR WALL PANELS.
2 AC JOINT COMPOUND ON GYPSUM WALL BOARD IN MECHANICAL MEZZANINE.


CORRUGATED METAL SIDING COATED WITH LCP AND SPRAY APPLIED AC TREATMENT

BUILDING 201 LEAD PAINT REMOVAL LEGEND:


- 1 PAINT CHIPS ON PLYWOOD DECKED MECHANICAL MEZZANINE FLOOR AND OTHER SURFACES (e.g. AIR HANDLER AND HVAC DUCTS)
2 PAINT CHIPS ON CEILING TILES, FIBERGLASS INSULATIONS, HVAC DUCTS AND OTHER SURFACES ABOVE CEILING.
3 DETERIORATED PAINT ON STRUCTURAL STEEL FRAMING INSIDE FACE OF EXTERIOR PANELS, AND UNDERSIDE OF ROOF DECK.



BLDG. 201 - FIRST FLOOR PLAN
SCALE= 1:100



REFER TO SHEET HM-1 FOR NOTES APPLICABLE TO THE WORK INDICATED ON THIS SHEET.



IF SHEET IS LESS THAN 28"x42", IT IS A REDUCED PRINT. SCALE REDUCED ACCORDINGLY.

HM-4

MEDICAL/DENTAL CLINIC			
HAZARDOUS MATERIAL REMOVAL BUILDING 201 PLAN AND EXTERIOR ELEVATIONS			
SIZE	CODE IDENT. NO.	DRAWING NO.	
F	XXXXX	8144543	
		CONST. CONTR. NO.	
		SCALE: AS SHOWN	
		SPEC. 11996048	
		SHEET 38 OF 316	